Notice of Allowability	Application No.	Applicant(s)
	09/887,777	DOAK ET AL.
	Examiner	Art Unit
	Parviz Hassanzadeh	1763

48.0 herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from Issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 12/1/03.

The allowed claim(s) is/are 12-18 and 36-52.

3. The drawings filed on 17 March 2003 and 21 March 2002 are accepted by the Examiner.

Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some\* c) None of the:

Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No.

3. IT Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received:

5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet, 37 CFR 1.78.

(a) The translation of the foreign language provisional application has been received.

6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet, 37 CFR 1.78,

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE

 A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

 (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) Thereto or 2) The Paper No.

(b)  $\Box$  including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner. (c) Including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paner No.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of

each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d). 9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the

attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1 Notice of References Cited (PTO-892)

2 Notice of Draftperson's Patent Drawing Review (PTO-948)

3 Information Disclosure Statements (PTO-1449 or PTO/SB/08). Paper No.

4 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

6 Notice of Informal Patent Application (PTO-152) 6 Interview Summary (PTO-413), Paper No.\_\_\_\_\_.

7 Examiner's Amendment/Comment

8 Examiner's Statement of Reasons for Allowance g□ Other

> Parviz Hassanzadoh Primary Examiner Art Linit: 1763

Application/Control Number: 09/887,777 Art Unit: 1763

## DETAILED ACTION

## Allowable Subject Matter

Claims 12-18 and 36-52 are allowed.

The following is an examiner's statement of reasons for allowance: an apparatus for producing nitride films including: a pair of corona-discharge electrodes, a nitrogen delivery path leading to a nozzle at which a corona discharge is produced, and a device for locating a substrate, wherein the substrate is located at a location sufficiently distant from the corona-discharge producing electrodes such that essentially the only activated nitrogen impingen on the substrate is  $N_2A^2 \Sigma_n^*$ , and providing a transient time of nitrogen travelling toward the substrate exceeding the lifetime of activated nitrogen in states other than a  $N_2A^2 \Sigma_n^*$  such that the other states are effectively filtered out.

Neither of the prior art of the record teaches or suggests a mechanism for filtering out all activated nitrogen species except  $N_2A^*\Sigma_n^*$  produced in a corona discharge for forming nitride film on a substrate.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Parviz Hassanzadeh whose telephone number is (571)272-1435. The examiner can normally be reached on Tuesday-Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Mills can be reached on (571)272-1439. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

P. Hassan 20dul Parviz Hassanzadeh Primary Examiner Art Unit 1763

January 6, 2004